



**CEPRINDO**  
**Certification Body**  
 Jl. Hybrida PE 10, Kav. 18  
 Kelapa Gading - Jakarta Utara  
 Telp/Fax: 021 45842494 / 02145844232  
 Email : ceprindo.company@yahoo.co.id  
 www.ceprindo.co.id



Issued : 13 - 09 - 2022

Validity : 12 - 09 - 2026

## CERTIFICATE of PRODUCT

Number : 248/0/SER/U - 151/IX//2022

Issued to:

### HERA INDUSTRIAL JOINT STOCK COMPANY

Thi Tu Quarter, Ban Gian Commune, Lap Thach District,  
 Vinh Phuc Province, Vietnam

for the importer brand owner to makloon :

### PT. PALMA CONTE MAS

JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Kepa,  
 Kebon Jeruk, Jakarta Barat 11510 Indonesia

Used as The Product Certificate Marking SNI ( SPPT SNI ), comply with the Regulation of Product Certification Type 5, and Product Certificate Scheme CEPRINDO Certification Body, for the product :

**Ceramic Tiles**  
**SNI ISO 13006 : 2010**

with

**ISO 9001:2015 Quality Management System**

Type, brand and category of the products are mentioned in the attachments are not being separated from this certificate. This Product Certificate will be maintained to fulfill the requirements of CEPRINDO Certification Body Product Certification Scheme.  
 The schedule of surveillance should be performed at least once a year.

**CEPRINDO Certification Body**  
**Chairman**

*(Signature)*  
**( DR. Dasriel Adnan Noeha )**



*This certificate is valid since the company to keep the product quality consistently  
 comply with references standard*



## CEPRINDO CERTIFICATION BODY

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



### Attachment 1 Product Certificate Number : 248/0/SER/U - 151/IX/2022

**Importer Brand Owner to Makloon** : PT. PALMA CONTE MAS

**Product Owner** : PT. PALMA CONTE MAS

**Address** : JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Kapa, Kebon Jeruk, Jakarta Barat 11510 Indonesia

**Representatives of Product Owner / Director** : Lajj Heri Susanto

**Factory** : HERA INDUSTRIAL JOINT STOCK COMPANY

**Address** : Thi Tu Quarter, Ban Gian Commune, Lap Thach District, Vinh Phuc Province, Vietnam

**Representatives of Factory / Vice Director – Export and Project Sales** : Ms. Ann Phuong

**Product** : Ceramic Tiles

**Type / Category** :

1. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5$  %) Glazed, Surface Area  $\leq 1.600$  cm<sup>2</sup> First Quality
2. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5$  %) Glazed, Surface Area  $> 1.600$  cm<sup>2</sup> First Quality
3. Dry Pressed Ceramic Tiles, Group Blb ( $0.5 \% < E \leq 3$  %) Glazed, Surface Area  $> 1.600$  cm<sup>2</sup> First Quality
4. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6$  %) Glazed, Surface Area  $\leq 1.600$  cm<sup>2</sup> First Quality
5. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6$  %) Glazed, Surface Area  $> 1.600$  cm<sup>2</sup> First Quality
6. Dry Pressed Ceramic Tiles, Group Blll ( $E > 10$  %) Glazed, Surface Area  $> 1.600$  cm<sup>2</sup> First Quality

**Brand** : IGRESS

**Product Standard** : SNI ISO 13006:2010

**Quality Management System** : SNI ISO 9001:2015 ( Certified )

**Product Certification System** : Type 5

**Revision of Certification** : 0 ( Zero )

The validity of Attachments is following Main Certificate

CEPRINDO Certification Body  
 Chairman  
 ceprindo Ispro  
 ( DR. Dasriel Adnan Noeha )



## CEPRINDO CERTIFICATION BODY

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



### Attachment 2 Product Certificate Number : 248/0/SER/U - 151/IX/2022

**Importer Brand Owner to Makloon** : PT. PALMA CONTE MAS

**Product Owner** : PT. PALMA CONTE MAS

**Address** : JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Kapa, Kebon Jeruk, Jakarta Barat 11510 Indonesia

**Representatives of Product Owner / Director** : Lajj Heri Susanto

**Factory** : HERA INDUSTRIAL JOINT STOCK COMPANY

**Address** : Thi Tu Quarter, Ban Gian Commune, Lap Thach District, Vinh Phuc Province, Vietnam

**Representatives of Factory / Vice Director – Export and Project Sales** : Ms. Ann Phuong

**Product** : Ceramic Tiles

**Type / Category** :

1. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
2. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
3. Dry Pressed Ceramic Tiles, Group Blb ( $0.5 \% < E \leq 3 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
4. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
5. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
6. Dry Pressed Ceramic Tiles, Group Blll ( $E > 10 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality

**Brand** : DBS


**Product Standard** : SNI ISO 13006:2010

**Quality Management System** : SNI ISO 9001:2015 ( Certified )

**Product Certification System** : Type 5

**Revision of Certification** : 0 ( Zero )

The validity of Attachments is following Main Certificate

CEPRINDO Certification Body  
Chairman  
  
( DR. Dasriel Adnan Noeha )



**CEPRINDO**  
**Certification Body**  
 Jl. Hybrida PE 10, Kav. 18  
 Kelapa Gading - Jakarta Utara  
 Telp/Fax: 021 45842494 / 02145844232  
 Email : ceprindo.company@yahoo.co.id  
 www.ceprindo.co.id



Issued : 09 - 09 - 2022

Validity : 08 - 09 - 2026

## CERTIFICATE of PRODUCT

Number : 246/0/SER/U - 149/IX//2022

Issued to:

### HERA INDUSTRIAL JOINT STOCK COMPANY

Thi Tu Quarter, Ban Gian Commune, Lap Thach District,  
 Vinh Phuc Province, Vietnam

for the importer / license holder :

### PT. PALMA CONTE MAS

JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Kepa,  
 Kebon Jeruk, Jakarta Barat 11510 Indonesia

Used as The Product Certificate Marking SNI ( SPPT SNI ), comply with the Regulation of Product Certification Type 5, and Product Certificate Scheme CEPRINDO Certification Body, for the product :

**Ceramic Tiles**  
**SNI ISO 13006 : 2010**

with

**ISO 9001:2015 Quality Management System**

Type, brand and category of the products are mentioned in the attachments are not being separated from this certificate. This Product Certificate will be maintained to fulfill the requirements of CEPRINDO Certification Body Product Certification Scheme.  
 The schedule of surveillance should be performed at least once a year.

**CEPRINDO Certification Body**  
**Chairman**

( DR. Dasriel Adnan Noeha )



This certificate is valid since the company to keep the product quality consistently  
 comply with references standard



## CEPRINDO CERTIFICATION BODY

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



### Attachment 1 Product Certificate Number : 246/0/SER/U - 149/IX/2022

**Importer / License Holder** : PT. PALMA CONTE MAS

**Product Owner** : PT. PALMA CONTE MAS

**Address** : JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri  
Kepa, Kebon Jeruk, Jakarta Barat 11510 Indonesia

**Representatives of Product  
Owner / Director** : Lajj Heri Susanto

**Factory** : HERA INDUSTRIAL JOINT STOCK COMPANY

**Address** : Thi Tu Quarter, Ban Gian Commune, Lap Thach District, Vinh  
Phuc Province, Vietnam

**Representatives of Factory /  
Vice Director – Export and  
Project Sales** : Ms. Ann Phuong

**Product** : Ceramic Tiles

**Type / Category** :

1. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
2. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
3. Dry Pressed Ceramic Tiles, Group Blb ( $0.5 \% < E \leq 3 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
4. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
5. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
6. Dry Pressed Ceramic Tiles, Group Blll ( $E > 10 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality

**Brand** : AMYGRES


**Product Standard** : SNI ISO 13006:2010

**Quality Management System** : SNI ISO 9001:2015 ( Certified )

**Product Certification System** : Type 5

**Revision of Certification** : 0 ( Zero )

The validity of Attachments is following Main Certificate

CEPRINDO Certification Body  
Chairman  
  
ceprindo Ispro  
( DR. Dasriel Adnan Noeha )



**CEPRINDO**  
**Certification Body**

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



Issued : 13 - 09 - 2022

Validity : 12 - 09 - 2026

## CERTIFICATE of PRODUCT

Number : 247/0/SER/U - 150/IX//2022

Issued to:

### ASIA-US INDUSTRIAL JOINT STOCK COMPANY

Lot 1, Thai Hoa - Lien Son - Lien Hoa Industrial Zone, Hoa Son Town,  
Thach District, Vinh Phuc Province, Vietnam

for the importer brand owner to makloon :

### PT. PALMA CONTE MAS

JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Kepa,  
Kebon Jeruk, Jakarta Barat 11510 Indonesia

Used as The Product Certificate Marking SNI ( SPPT SNI ), comply with the Regulation of Product Certification Type 5, and Product Certificate Scheme CEPRINDO Certification Body, for the product :

**Ceramic Tiles**  
**SNI ISO 13006 : 2010**

with

ISO 9001:2015 Quality Management System

Type, brand and category of the products are mentioned in the attachments are not being separated from this certificate. This Product Certificate will be maintained to fulfill the requirements of CEPRINDO Certification Body Product Certification Scheme.  
The schedule of surveillance should be performed at least once a year.

CEPRINDO Certification Body  
Chairman

( DR. Dasriel Adnan Noeha )



This certificate is valid since the company to keep the product quality consistently  
comply with references standard



## CEPRINDO CERTIFICATION BODY

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



### Attachment 1 Product Certificate Number : 247/0/SER/U - 150/IX//2022

**Importer Brand Owner to Makloon** : PT. PALMA CONTE MAS

**Product Owner** : PT. PALMA CONTE MAS

**Address** : JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Kapa, Kebon Jeruk, Jakarta Barat 11510 Indonesia

**Representatives of Product Owner / Director** : Lajj Heri Susanto

**Factory** : ASIA-US INDUSTRIAL JOINT STOCK COMPANY

**Address** : Lot 1, Thai Hoa - Lien Son - Lien Hoa Industrial Zone, Hoa Son Town, Thach District, Vinh Phuc Province, Vietnam

**Representatives of Factory / Vice Director – Export and Project Sales** : Ms. Ann Phuong

**Product** : Ceramic Tiles

**Type / Category** :

1. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
2. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
3. Dry Pressed Ceramic Tiles, Group Blb ( $0.5 \% < E \leq 3 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
4. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
5. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
6. Dry Pressed Ceramic Tiles, Group Blll ( $E > 10 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality

**Brand** : IGRESS


**Product Standard** : SNI ISO 13006:2010

**Quality Management System** : SNI ISO 9001:2015 ( Certified )

**Product Certification System** : Type 5

**Revision of Certification** : 0 ( Zero )

The validity of Attachments is following Main Certificate





## CEPRINDO CERTIFICATION BODY

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



### Attachment 2 Product Certificate Number : 247/0/SER/U - 150/IX//2022

**Importer Brand Owner to Makloon** : PT. PALMA CONTE MAS

**Product Owner** : PT. PALMA CONTE MAS

**Address** : JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Keba, Kebon Jeruk, Jakarta Barat 11510 Indonesia

**Representatives of Product Owner / Director** : Laj Heri Susanto

**Factory** : ASIA-US INDUSTRIAL JOINT STOCK COMPANY

**Address** : Lot 1, Thai Hoa - Lien Son - Lien Hoa Industrial Zone, Hoa Son Town, Thach District, Vinh Phuc Province, Vietnam

**Representatives of Factory / Vice Director – Export and Project Sales** : Ms. Ann Phuong

**Product** : Ceramic Tiles

**Type / Category** :

1. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
2. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
3. Dry Pressed Ceramic Tiles, Group Blb ( $0.5 \% < E \leq 3 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
4. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
5. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
6. Dry Pressed Ceramic Tiles, Group Blll ( $E > 10 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality

**Brand** : DBS

**Product Standard** : SNI ISO 13006:2010

**Quality Management System** : SNI ISO 9001:2015 ( Certified )

**Product Certification System** : Type 5

**Revision of Certification** : 0 ( Zero )

The validity of Attachments is following Main Certificate

CEPRINDO Certification Body  
Chairman  
  
ceprindo ispro  
( DR. Dasriel Adnan Nocha )





**CEPRINDO  
Certification Body**

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



Issued : 09 - 09 - 2022

Validity : 08 - 09- 2026

## CERTIFICATE of PRODUCT

Number : 245/0/SER/U - 148/IX//2022

Issued to:

### ASIA-US INDUSTRIAL JOINT STOCK COMPANY

Lot 1, Thai Hoa - Lien Son - Lien Hoa Industrial Zone, Hoa Son Town,  
Thach District, Vinh Phuc Province, Vietnam

for the importer / license holder :

### PT. PALMA CONTE MAS

JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri Kepa,  
Kebon Jeruk, Jakarta Barat 11510 Indonesia

Used as The Product Certificate Marking SNI ( SPPT SNI ), comply with the Regulation of Product Certification Type 5, and Product Certificate Scheme CEPRINDO Certification Body, for the product :

**Ceramic Tiles  
SNI ISO 13006 : 2010**

with

ISO 9001:2015 Quality Management System

Type, brand and category of the products are mentioned in the attachments are not being separated from this certificate. This Product Certificate will be maintained to fulfill the requirements of CEPRINDO Certification Body Product Certification Scheme.  
The schedule of surveillance should be performed at least once a year.

**CEPRINDO Certification Body  
Chairman**

( **DR. Dasriel Adnan Noeha** )



This certificate is valid since the company to keep the product quality consistently  
comply with references standard



## CEPRINDO CERTIFICATION BODY

Jl. Hybrida PE 10, Kav. 18  
Kelapa Gading - Jakarta Utara  
Telp/Fax: 021 45842494 / 02145844232  
Email : ceprindo.company@yahoo.co.id  
www.ceprindo.co.id



### Attachment 1 Product Certificate Number : 245/0/SER/U - 148/IX/2022

**Importer / License Holder** : PT. PALMA CONTE MAS

**Product Owner** : PT. PALMA CONTE MAS

**Address** : JL. Daan Mogot, Komplek Aldiron No. 121-L RT 006 RW 005 Duri  
Kepa, Kebon Jeruk, Jakarta Barat 11510 Indonesia

**Representatives of Product  
Owner / Director** : Lajj Heri Susanto

**Factory** : ASIA-US INDUSTRIAL JOINT STOCK COMPANY

**Address** : Lot 1, Thai Hoa - Lien Son - Lien Hoa Industrial Zone, Hoa Son  
Town, Thach District, Vinh Phuc Province, Vietnam

**Representatives of Factory /  
Vice Director – Export and  
Project Sales** : Ms. Ann Phuong

**Product** : Ceramic Tiles

**Type / Category** :

1. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
2. Dry Pressed Ceramic Tiles, Group Bla ( $E \leq 0.5 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
3. Dry Pressed Ceramic Tiles, Group Blb ( $0.5 \% < E \leq 3 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
4. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $\leq 1.600 \text{ cm}^2$   
First Quality
5. Dry Pressed Ceramic Tiles, Group Blla ( $3 \% < E \leq 6 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality
6. Dry Pressed Ceramic Tiles, Group Blll ( $E > 10 \%$ )  
Glazed, Surface Area  $> 1.600 \text{ cm}^2$   
First Quality

**Brand** : AMYGRES


**Product Standard** : SNI ISO 13006:2010

**Quality Management System** : SNI ISO 9001:2015 ( Certified )

**Product Certification System** : Type 5

**Revision of Certification** : 0 ( Zero )

The validity of Attachments is following Main Certificate

  
 CEPRINDO Certification Body  
 Chairman  
 ( DR. Dasriel Adnan Noeha )